

Bijlage 10. Referenties

1. Abadia SMS. Prevenção da cárie dentária através da aplicação tópica de gel de flúor fosfato ácido, utilizando-se isolamento relativo e absoluto [dissertation]. Baurú (SP): Universidade de São Paulo, 1978.
2. Agouropoulos, A., et al. (2014). "Caries-preventive effectiveness of fluoride varnish as adjunct to oral health promotion and supervised tooth brushing in preschool children: a double-blind randomized controlled trial." *Journal of Dentistry* 42(10): 1277-1283.
3. Ahovuo - Saloranta, A., et al. Pit and fissure sealants versus fluoride varnishes for preventing dental decay in the permanent teeth of children and adolescents. *Cochrane Database of Systematic Reviews*, 2016.
4. Ahovuo-Saloranta A, Forss H, Walsh T, Nordblad A, Mäkelä M, Worthington HV. Pit and fissure sealants for preventing dental decay in permanent teeth. *Cochrane Database Syst Rev*. 2017 Jul 31;7:CD001830
5. Alonso-Coello P, Oxman AD, Moberg J, Brignardello-Petersen R, Akl EA, Davoli M, et al. GRADE Evidence to Decision (EtD) frameworks: a systematic and transparent approach to making well informed healthcare choices. 2: Clinical practice guidelines. *Bmj*. 2016;353:i2089.
6. Alonso-Coello P, Schunemann HJ, Moberg J, Brignardello-Petersen R, Akl EA, Davoli M, et al. GRADE Evidence to Decision (EtD) frameworks: a systematic and transparent approach to making well informed healthcare choices. 1: Introduction. *Bmj*. 2016;353:i2016.
7. Akinlotan M, Chen B, Fontanilla TM, Chen A, Fan VY. Economic evaluation of dental sealants: A systematic literature review. *Community Dent Oral Epidemiol*. 2018 Feb;46(1):38-46.
8. Anderson, M., et al. (2017). "Impact of biannual treatment with fluoride varnish on tooth-surface-level caries progression in children aged 1-3 years." *Journal of Dentistry* 65: 83-88
9. 1Anderson M, Stecksén-Blicks C, Stenlund H, Ranggård L, Tsilingaridis G, Mejåre I. Detection of approximal caries in 5-year-old Swedish children. *Caries Res*. 2005 Mar-Apr;39(2):92-9
10. Atieh M. Stainless steel crown versus modified open sandwich restorations for primary molars: a 2-year randomized clinical trial. *International Journal of Paediatric Dentistry* 2008 Sep;18(5):325-32.
11. AQUA. A-eeK. Leidraad voor kwaliteitsstandaarden. Diemen: Zorginstituut Nederland; 2017
12. Banerjee A, Frencken JE, Schwendicke F, Innes NPT. Aanbevelingen van een consensus-bijeenkomst over weefselsparende manieren om carieus weefsel uit dentine te verwijderen [Consensus recommendations on minimally invasive removal of carious tissue from dentine]. *Ned Tijdschr Tandheelkd*. 2020;127(7-08):424-433
13. Batliner TS, Tiwari T, Henderson WG, Wilson AR, Gregorich SE, Fehringer KA, Brega AG, Swyers E, Zacher T, Harper MM, Plunkett K, Santo W, Cheng NF, Shain S, Rasmussen M, Manson SM, Albino J. Randomized Trial of Motivational Interviewing to Prevent Early Childhood Caries in American Indian Children. *JDR Clin Trans Res*. 2018 Oct;3(4):366-375.
14. Bijella MF, Bijella VT, Lopes ES, Bastos JR. Comparison of dental prophylaxis and toothbrushing prior to topical fluoride applications. *Community Dentistry and Oral Epidemiology* 1985;13(4):208-11.
15. Bjørndal L, Reit C, Bruun G, Markvart M, Kjældgaard M, Näsman P, et al. Treatment of deep caries lesions in adults: randomized clinical trials comparing stepwise vs. direct complete excavation, and direct pulp capping vs. partial pulpotomy. *European Journal of Oral Sciences* 2010;118(3): 290-7.
16. Borutta A, Hufnagl S, Möbius S, Reuscher G. Caries inhibition of fluoride varnishes among pre-school children: results after one-year. *Oralprophylaxe* 2006;28(1):8-14. Borutta A, Reuscher G, Hufnagl S, Möbius S. Caries prevention with fluoride varnishes among preschool children [Kariesprophylaxe mit Fluoridlacken bei Vorschulkindern]. *Gesundheitswesen* 2006;68(11):731-4.
17. Braga MM, Mendes FM, De Benedetto MS, Imparato JC. 2009. Effect of silver diamine fluoride on incipient caries lesions in erupting permanent first molars: a pilot study. *J Dent Child*. 76(1):28-33.
18. Bravo M, Montero J, Bravo JJ, Baca P, Llodra JC. Sealant and fluoride varnish in caries: a randomized trial. *Journal of Dental Research* 2005;84(12):1138-43
19. Brozek JL, Akl EA, Alonso-Coello P, Lang D, Jaeschke R, Williams JW, et al. Grading quality of evidence and strength of recommendations in clinical practice guidelines. Part 1 of 3. An overview of the GRADE approach and grading quality of evidence about interventions. *Allergy*. 2009;64(5):669-77.
20. Brozek JL, Akl EA, Jaeschke R, Lang DM, Bossuyt P, Glasziou P, et al. Grading quality of evidence and strength of recommendations in clinical practice guidelines: Part 2 of 3. The GRADE approach to grading quality of evidence about diagnostic tests and strategies. *Allergy*. 2009;64(8):1109-16. Bravo M, Baca P, Llodra JC, Osorio E. A 24-month study comparing sealant and fluoride varnish in caries reduction on different permanent first molar surfaces. *Journal of Public Health Dentistry* 1997;57(3):184-6.
21. Brouwers MC, Kho ME, Browman GP, Burgers JS, Cluzeau F, Feder G, et al. AGREE II: advancing guideline development, reporting, and evaluation in health care. *Prev Med*. 2010;51(5):421-4.
22. Bryan ET, Williams JE. The cariostatic effectiveness of a phosphate-fluoride gel administered annually to school children. I. The results of the first year. *Journal of Public Health Dentistry* 1968;28(3):182-5.
23. CBS stat, Staat van Volksgezondheids en Zorg. Tandarts: minimaal één keer per jaar contact. Geraadpleegd via: <https://www.staatvenz.nl/kerncijfers/tandarts-minimaal-één-keer-jaar-contact>. 20 juli 2019.
24. Chestnutt, I.G., et al. Seal or varnish? A randomised controlled trial to determine the relative cost and effectiveness of pit and fissure sealant and fluoride varnish in preventing dental decay. *Health Technology Assessment*, 2017. 21(21).
25. Chu CH, Lo EC, Lin HC. Effectiveness of silver diamine fluoride and sodium fluoride varnish in arresting dentin caries in Chinese pre-school children. *Journal of Dental Research* 2002;81:767-70.

26. Clark DC, Stamm JW, Quee TC, Robert G. Results of the Sherbrooke-Lac Megantic fluoride varnish study after 20 months. *Community Dentistry and Oral Epidemiology* 1985;13:61-4.
27. Cobb BH, Rozier GR, Bawden JW. A clinical study of the caries preventive effects of an APF solution and APF thixotropic gel. *Pediatric Dentistry* 1980;2(4):263-6.
28. Cons NC, Janerich DT, Senning RS. Albany topical fluoride study. *Journal of the American Dental Association* 1970;80 (4):777-81.
29. dos Santos VE Jr, de Vasconcelos FM, Ribeiro AG, Rosenblatt A. 2012. Paradigm shift in the effective treatment of caries in schoolchildren at risk. *Int Dent J.* 62(1):47-51.
30. DePaola PF, Soparkar M, Van Leeuwen M, DeVelis R. The anticaries effect of single and combined topical fluoride systems in school children. *Archives of Oral Biology* 1980;25 (10):649-53.
31. Duangthip D, Chu CH, Lo EC. 2016. A randomized clinical trial on arresting dentine caries in preschool children by topical fluorides—18 month results. *J Dent.* 44:57-63.
32. Duijster D, van Loveren C, Dusseldorp E, Verrips GH. Modelling community, family, and individual determinants of childhood dental caries. *Eur J Oral Sci.* 2014 Apr;122(2):125-33.
33. Englander HR, Keyes PH, Gestwicki M, Sultz HA. Clinical anticaries effect of repeated topical sodium fluoride applications by mouthpieces. *Journal of the American Dental Association* 1967;75(3):638-4
34. Englander HR, Carlos JP, Senning RS, Mellberg JR. Residual anticaries effect of repeated topical sodium fluoride applications by mouthpieces. *Journal of the American Dental Association* 1969;78(4):783-7.
35. Englander HR, Sherrill LT, Miller BG, Carlos JP, Mellberg JR, Senning RS. Incremental rates of dental caries after repeated topical sodium fluoride applications in children with lifelong consumption of fluoridated water. *Journal of the American Dental Association* 1971;82(2):354-8.
36. Englander HR, Mellberg JR, Engler WO. Observations on dental caries in primary teeth after frequent fluoride toplications in a program involving other preventives. *Journal of Dental Research* 1978;57(9-10):855-60.
37. Ekstrand KR, Christiansen ME. Outcomes of a non-operative caries treatment programme for children and adolescents. *Caries Res.* 2005 Nov-Dec;39(6):455-67.
38. Faustino-Silva DD, Colvara BC, Meyer E, Hugo FN, Celeste RK, Hilgert JB. Motivational interviewing effects on caries prevention in children differ by income: A randomized cluster trial. *Community Dent Oral Epidemiol.* 2019 Dec;47(6):477-484.
39. Florio FM, Pereira AC, Meneghim Mde C, Ramacciato JC. Evaluation of non-invasive treatment applied to occlusal surfaces. *ASDC Journal of Dentistry for Children* 2001;68(5- 6):326-31, 301.
40. Florio FM, Pereira AC, Meneghim Mde C, Ramacciato JC. Evaluation of non-invasive treatment applied to occlusal surfaces. *ASDC Journal of Dentistry for Children* 2001;68(5- 6):326-31, 301. Franzon R, Guimarães LF, Magalhães CE, Haas AN, Araujo FB. Outcomes of one-step incomplete and complete excavation in primary teeth: a 24-month randomized controlled trial. *Caries Res.* 2014;48(5):376-83.
41. Franzon R, Guimarães LF, Magalhães CE, Haas AN, Araujo FB. Outcomes of one-step incomplete and complete excavation in primary teeth: a 24-month randomized controlled trial. *Caries Res.* 2014;48(5):376-83.
42. Freudenthal JJ, Bowen DM. Motivational interviewing to decrease parental risk-related behaviors for early childhood caries. *J Dent Hyg.* 2010;84(1):29-34.
43. Frostell G, Birkhed D, Edwardsson S, Goldberg P, Petersson LG, Priwe C, et al. Effect of partial substitution of invert sugar for sucrose in combination with Duraphat treatment on caries development in preschool children: the Malmö Study. *Caries Research* 1991;25(4):304-10.
44. Fukumoto E, Kawasaki K, Iijima Y, Takagi O. 1997. The effect of Ag(NH₃)₂F application on the progress of interproximal enamel caries and factors analysis with respect to the progress. *Oral Hygiene J.* 47(3):298-306 (in Japanese).
45. Gao SS, Zhao IS, Hiraishi N, Duangthip D, Mei ML, Lo ECM, Chu CH. Clinical Trials of Silver Diamine Fluoride in Arresting Caries among Children: A Systematic Review. *JDR Clin Trans Res.* 2016 Oct;1(3):201-210.
46. Gisselsson H, Birkhed D, Emilson CG. Effect of professional flossing with NaF or SnF₂ gel on approximal caries in 13-16-year-old schoolchildren. *Acta Odontologica Scandinavica* 1999;57(2):121-5.
47. Gruythuysen RJ. Niet-Restauratieve Caviteitsbehandeling. Cariësoactiviteit beteugelen in plaats van maskeren. *Ned Tijdschr. Tandheelkd.* 2010; 117: 173-180.
48. Gruythuysen RJM. Non-restorative cavity treatment: should this be the treatment of choice? reflections of a teacher in paediatric dentistry. *Dent Update* 2019; 46: 220-228
49. Gugwad SC, Shah P, Lodaya R, Bhat C, Tandon P, Choudhari S, et al. Caries prevention effect of intensive application of sodium fluoride varnish in molars in children between age 6 and 7 years. *Journal of Contemporary Dental Practice* 2011;12:408-13
50. Hagan PP, Rozier RG, Bawden JW. The caries-preventive effects of full-strength and half-strength topical acidulated phosphate fluoride. *Pediatric Dentistry* 1985;7(3):185-91.
51. Hardman MC, Davies GM, Duxbury JT, Davies RM. A cluster randomised controlled trial to evaluate the effectiveness of fluoride varnish as a public health measure to reduce caries in children. *Caries Research* 2007;41:371-6.
52. Harrison RL, Veronneau J, Leroux B. Effectiveness of maternal counseling in reducing caries in Cree children. *J Dent Res.* 2012 Nov;91(11):1032-7.
53. Harrison R, Benton T, Everson-Stewart S, Weinstein P. Effect of motivational interviewing on rates of early childhood caries: a randomized trial. *Pediatr Dent.* 2007 Jan-Feb;29(1):16-22.
54. Heifetz SB, Horowitz HS, Driscoll WS. Two-year evaluation of a self-administered procedure for the topical application of acidulated phosphate-fluoride; final report. *Journal of Public Health Dentistry* 1970;30(1):7-12.
55. Henshaw MM, Borrelli B, Gregorich SE, Heaton B, Tooley EM, Santo W, Cheng NF, Rasmussen M, Helman S, Shain S, Garcia RI. Randomized Trial of Motivational Interviewing to Prevent Early Childhood Caries in Public Housing. *JDR Clin Trans Res.* 2018 Oct;3(4):353-365.

56. Holm AK. Effect of a fluoride-containing varnish (Duraphat) in preschool children. *Journal of Dental Research* 1978;57:275 (Abs No 804).
57. Homer T, Maguire A, Douglas GVA, Innes NP, Clarkson JE, Wilson N, Ryan V, McColl E, Robertson M, Vale L. Cost-effectiveness of child caries management: a randomised controlled trial (FiCTION trial). *BMC Oral Health*. 2020 Feb 10;20(1):45.
58. Horowitz HS. Effect on dental caries of topically applied acidulated phosphate- fluoride: results after two years. *Journal of the American Dental Association* 1969;78(3): 568-72.
59. Horowitz HS, Heifetz SB, McClendon BJ, Viegas AR, Guimaraes LO, Lopes ES. Evaluation of self-administered prophylaxis and supervised toothbrushing with acidulated phosphate fluoride. *Caries Research* 1974;8(1):39-51.
60. Huang C, Liao Y, Xu S, Zhang F. 2006. The investigation of silver diamine fluoride treating dental caries among pre-school children. *Matern Child Health Care China*. 20(23):3097-3098.
61. Hutcheson C, Seale NS, McWhorter A, Kerins C, Wright J. Multi-surface composite vs stainless steel crown restorations after mineral trioxide aggregate pulpotomy: a randomized controlled trial. *Pediatric Dentistry* 2012;34:460-7.
62. Ingraham RQ, Williams JE. An evaluation of the utility of application and cariostatic effectiveness of phosphate- fluorides in solution and gel states. *Journal of Tennessee State Dental Association* 1970;50(1):5-12.
63. Innes NP, Frencken JE, Bjørndal L, Maltz M, Manton DJ, Ricketts D, Van Landuyt K, Banerjee A, Campus G, Doméjean S, Fontana M, Leal S, Lo E, Machiulskiene V, Schulte A, Splieth C, Zandona A, Schwendicke F. Managing Carious Lesions: Consensus Recommendations on Terminology. *Adv Dent Res*. 2016 May;28(2):49-57.
64. Innes NP, Evans DJ, Stirrups DR. Sealing caries in primary molars: randomized control trial, 5-year results. *Journal of Dental Research* 2011;90:1405-10.
65. Innes NP, Evans DJ, Stirrups DR. The Hall Technique: a randomized controlled clinical trial of a novel method of managing carious primary molars in general dental practice; acceptability of the technique and outcomes at 23 months. *BMC Oral Health* 2007;7:18.
66. Innes NP, Ricketts DN, Evans DJ. Preformed metal crowns for decayed primary molar teeth. *Cochrane Database Syst Rev*. 2007 Jan 24;(1):CD005512. Review. Update in: *Cochrane Database Syst Rev*. 2015;12:CD005512.
67. Iorio A, Spencer FA, Falavigna M, Alba C, Lang E, Burnand B, et al. Use of GRADE for assessment of evidence about prognosis: rating confidence in estimates of event rates in broad categories of patients. *Bmj*. 2015;350:h870.
68. Ivoren Kruis. (2011) Advies cariëspreventie. Naarden: Ivoren Kruis. Geraadpleegt op 6 januari 2020 via: https://www.ivorenkruis.nl/userfiles/File/IvK_Advies_Cari_spreventie.pdf
69. Jamieson LM, Smithers LG, Hedges J, Aldis J, Mills H, Kapellas K, Lawrence HP, Broughton JR, Ju X. Follow-up of an Intervention to Reduce Dental Caries in Indigenous Australian Children: A Secondary Analysis of a Randomized Clinical Trial. *JAMA Netw Open*. 2019 Mar 1;2(3):e190648. doi: 10.1001/jamanetworkopen.2019.0648. PMID: 30874781; PMCID: PMC6484654.
70. Jamieson L, Smithers L, Hedges J, Parker E, Mills H, Kapellas K, Lawrence HP, Broughton JR, Ju X. Dental Disease Outcomes Following a 2-Year Oral Health Promotion Program for Australian Aboriginal Children and Their Families: A 2-Arm Parallel, Single-blind, Randomised Controlled Trial. *EClinicalMedicine*. 2018 Jul 23;1:43-50. doi: 10.1016/j.eclinm.2018.05.001. PMID: 31193658; PMCID: PMC6537568.
71. Ji PH, Xu QL, Ba Y. Clinical evaluation of fluor protector and glass-ionomer cement used as pit and fissure sealant for preventing pit and fissure caries in children. *Shanghai Kou Qiang Yi Xue* 2007;16(4):374-6.
72. Jiang H, Tai B, Du M, Peng B. Effect of professional application of APF foam on caries reduction in permanent first molars in 6-7-year-old children: 24-month clinical trial. *Journal of Dentistry* 2005;33(6):469-73.
73. Kalnina, J. and R. Care, Prevention of occlusal caries using an ozone, sealant and fluoride varnish in children. *Stomatologija*, 2016. 18(1): p. 26-31.
74. KNMG. (2018) Meldcode 'Kinder mishandeling en huiselijk geweld'. Utrecht: KNMG. Geraadpleegd op 6 januari 2020 via <https://www.knmg.nl/>
75. Kunz R, Burnand B, Schunemann HJ, Grading of Recommendations AD, Evaluation Working G. [The GRADE System. An international approach to standardize the graduation of evidence and recommendations in guidelines]. *Internist (Berl)*. 2008;49(6):673-80.
76. Lakshmi, S.P., et al., Atraumatic restorative treatment vs. Hall technique for occlusoproximal lesions in primary dentition-an in vivo study. *Journal of Clinical and Diagnostic Research*, 2018. 12(2): p. ZC09-ZC13
77. Lawrence HP, Binguis D, Douglas J, McKeown L, Switzer B, Figueiredo R, et al. A 2-year community-randomized controlled trial of fluoride varnish to prevent early childhood caries in Aboriginal children. *Community Dentistry and Oral Epidemiology* 2008;36:503-16.
78. Lillehagen M, Grindejord M, Mejare I. Detection of approximal caries by clinical and radiographic examination in 9-year-old Swedish children. *Caries Res*. 2007;41(3):177-85
79. Liu BY, Lo ECM, Chu CH, Lin HC. Randomized trial on fluorides and sealants for fissure caries prevention. *Journal of Dental Research* 2012;91(8):753-8.
80. Llodra J, Rodriguez A, Ferrer B, Menardia V, Ramos T, Morato M. 2005. Efficacy of silver diamine fluoride for caries reduction in primary teeth and first permanent molars of schoolchildren: 36-month clinical trial. *J Dent Res*. 84(8):721-724.
81. Leksell E, Ridell K, Cvek M, Mejare I. Pulp exposure after stepwise versus direct complete excavation of deep carious lesions in young posterior permanent teeth. *Endodontics & Dental Traumatology* 1996;12(4):192-6.
82. Lula EC, Monteiro-Neto V, Alves CM, Ribeiro CC. Microbiological analysis after complete or partial removal of carious dentin in primary teeth: a randomized clinical trial. *Caries Research* 2009;43(5):354-8.
83. Maciel SM. 1988. Estudo clínico da ação do Diamino Fluoreto de Prata à 10 por cento sobre superfícies oclusais de molares decíduos. São Paulo (Brazil): Universidade de São Paulo. Faculdade de Odontologia.

84. Magnusson BO, Sundell SO. Stepwise excavation of deep carious lesions in primary molars. *Journal of the International Association of Dentistry for Children* 1977;8(2): 36-40.
85. Maguire A, Clarkson JE, Douglas GV, Ryan V, Homer T, Marshman Z, McColl E, Wilson N, Vale L, Robertson M, Abouhajar A, Holmes RD, Freeman R, Chadwick B, Deery C, Wong F, Innes NP. Best-practice prevention alone or with conventional or biological caries management for 3- to 7-year-olds: the FiCTION three-arm RCT. *Health Technol Assess*. 2020 Jan;24(1):1-174.
86. Mainwaring PJ, Naylor MN. A three-year clinical study to determine the separate and combined caries-inhibiting effects of sodium monofluorophosphate toothpaste and an acidulated phosphate-fluoride gel. *Caries Research* 1978;12 (4):202-12.
87. Marinho VC, Worthington HV, Walsh T, Chong LY. Fluoride gels for preventing dental caries in children and adolescents. *Cochrane Database Syst Rev*. 2015 Jun 15;(6):CD002280.
88. Marinho VCC, Worthington HV, Walsh T, Clarkson JE. Fluoride varnishes for preventing dental caries in children and adolescents. *Cochrane Database of Systematic Reviews* 2013, Issue 7. Art. No.: CD002279.
89. Marthaler TM, König KG, Muhlemann HR. The effect of a fluoride gel used for supervised toothbrushing 15 or 30 times per year. *Helvetica Odontologica Acta* 1970;14(2): 67-77.
90. Marthaler TM, König KG, Muhlemann HR. The effect of a fluoride gel used for supervised toothbrushing 15 or 30 times per year. *Helvetica Odontologica Acta* 1970;14(2): 67-77.
91. Mauro S, García Robles E, Cinque C, Squassi AF, Bordoni NE. 2004. Eficiencia de tres fluoruros concentrados para la estabilización de caries de esmalte. *Bol Asoc Argent Odontol Niños*. 33(2):4-11.
92. Mertz-Fairhurst E, Adair SM, Sams DR, Curtis JW Jr, Ergle JW, Hawkins KI, et al. Cariostatic and ultraconservative sealed restorations: nine-year results among children and adults. *ASDC Journal of Dentistry for Children* 1995;62(2): 97-107.
93. Mestrinho HD, Bijella MFTB, Bijella VT, Lopes ES. Prevention of dental caries through topical application of APF gel with plastic trays [Prevenção da cárie dental pela aplicação tópica de gel de flúor fosfato acidulado, através de moldeiras plásticas]. *Odontologo Moderno* 1983;10(1-2): 29-32.
94. Miasato JM. 1996. Efeito cariostático e preventivo do diamino fluoreto de prata a 30 por cento em pacientes bebês. Rio de Janeiro (Brazil): Universidade Federal do Rio de Janeiro, Faculdade de Odontologia.
95. Muller-Bolla M, Courson F, Lupi-Pégurier L, et al. Effectiveness of Resin-Based Sealants with and without Fluoride Placed in a High Caries Risk Population: Multicentric 2-Year Randomized Clinical Trial. *Caries Res*. 2018;52(4):312 - 322.
96. Naidu R, Nunn J, Irwin JD. The effect of motivational interviewing on oral healthcare knowledge, attitudes and behaviour of parents and caregivers of preschool children: an exploratory cluster randomised controlled study. *BMC Oral Health*. 2015 Sep 2;15:101.
97. Nederlands Centrum Jeugdgezondheid. Richtlijn: Voeding en eetgedrag (2013, aanpassing 2017). Utrecht, 2017. Geraadpleegd op 27 mei 2020 via <https://www.ncj.nl/richtlijnen/alle-richtlijnen/richtlijn/?richtlijn=4&rlpag=528>
98. Nishino M, Yoshida S, Sobue S, Kato J, Nishida M. 1969. Effect of topically applied ammoniacal silver fluoride on dental caries in children. *J Osaka Univ Dent Sch*. 9:149-155. Orhan AI, Oz FT, Orhan K. Pulp exposure occurrence and outcomes after 1- or 2- visit indirect pulp therapy vs complete caries removal in primary and permanent molars. *Pediatric Dentistry* 2010;32(4):347-55
99. Olivier M, Brodeur JM, Simard PL. Efficacy of APF treatments without prior toothcleaning targeted to high- risk children. *Community Dentistry and Oral Epidemiology* 1992;20(1):38-42.
100. Oliveira WG. 1985. A utilização de diamino fluoreto de prata (Saforide) na prevenção e paralização de cárie incipiente, em sulcose fissuras de molares permanentes. Rio de Janeiro (Brazil): Universidade Federal do Rio de Janeiro, Faculdade de Odontologia.
101. Orhan AI, Oz FT, Orhan K. Pulp exposure occurrence and outcomes after 1- or 2- visit indirect pulp therapy vs complete caries removal in primary and permanent molars. *Pediatric Dentistry* 2010;32(4):347-55.
102. Patientenfederatie Nederland. Kinderen, hun ouders en patiëntenrechten. Bezocht op 29-04-2020 via: https://www.patientenfederatie.nl/Documenten/producten/informatiekaart/kinderen_hun_ouders_en_patintenrechten_54-9.pdf
103. Patil, S. K., et al. (2017). "Caries Preventive Effect of Sodium Fluoride Varnish on Deciduous Dentition: A Clinical Trial." *Journal of Contemporary Dental Practice [Electronic Resource]* 18(12): 1190-1193.
104. Pine CM, Adair PM, Burnside G, Brennan L, Sutton L, Edwards RT, Ezeofor V, Albadri S, Curnow MM, Deery C, Hosey MT, Willis-Lake J, Lynn J, Parry J, Wong FSL. Dental RECUR Randomized Trial to Prevent Caries Recurrence in Children. *J Dent Res*. 2020 Feb;99(2):168-174.
105. Raadal M, Laegreid O, Laegreid KV, Hveem H, Korsgaard EK, Wangen K. Fissure sealing of permanent first molars in children receiving a high standard of prophylactic care. *Community Dentistry and Oral Epidemiology* 1984;12(2): 65-8.
106. Ram 2003 {published data only} * Fuks AB, Ram D, Eidelman E. Clinical performance of esthetic posterior crowns in primary molars: a pilot study. *Pediatric Dentistry* 1999;21(7):445-8
107. Ram D, Fuks AB, Eidelman E. Long-term clinical performance of esthetic primary molar crowns. *Pediatric Dentistry* 2003;25(6):582-4.
108. Ran F, Gedalia I, Fried M, Hadani P, Tved A. Effectiveness of fortnightly tooth brushing with amine fluorides in caries-prone subjects. *Journal of Oral Rehabilitation* 1991;18(4): 311-6.
109. Ribeiro CC, Baratieri LN, Perdigo J, Baratieri NM, Ritter AV. A clinical, radiographic, and scanning electron microscopic evaluation of adhesive restorations on carious dentin in primary teeth. *Quintessence International* 1999;30 (9):591-9.
110. Ricketts D, Lamont T, Innes NP, Kidd E, Clarkson JE. Operative caries management in adults and children. *Cochrane Database Syst Rev*. 2013 Mar 28;(3):CD003808.
111. Rollnick S. Motiverende gespreksvoering in de gezondheidszorg gedragsverandering als je maar 7 minuten hebt. Uitgeverij: Ekklesia. Feb. 2019
112. Salazar M. [Efetividade da aplicação semestral de verniz fluoretado no controle da cárie dentária em pré - escolares: resultados após 12 meses de acompanhamento]. Effectiveness of Bi-Annual Fluoride Varnish Application in the Control of Dental Caries in Preschool Children: Results after 12 Months of Follow-Up [Thesis]. Rio de Janeiro, Brazil: Universidade do Estado do Rio de Janeiro, 2008.

113. Salem K, Shaahsavari F, Kazemnejad E, Poorhabibi Z. Pit and fissure sealant versus fluoride varnish in prevention of occlusal caries. *Journal of Dentomaxillofacial Radiology, Pathology and Surgery* 2014;2(4):37-47.
114. Santamaria RM, Innes NP, Machiulskiene V, Evans DJ, Alkilzy M, Splieth CH. Acceptability of different caries management methods for primary molars in a RCT. *International Journal of Paediatric Dentistry / the British Paedodontic Society [and] the International Association of Dentistry for Children* 2015;25(1):9-17.
115. Santamaria RM, Innes NP, Machiulskiene V, Evans DJ, Splieth CH. Caries management strategies for primary molars: 1-yr randomized control trial results. *Journal of Dental Research* 2014;93(11):1062-9.
116. Santamaria, R.M., et al., Alternative Caries Management Options for Primary Molars: 2.5-Year Outcomes of a Randomised Clinical Trial. *Caries Research*, 2018. 51(6): p. 605-614.
117. Schuller AA, Vermaire JH, Verrips GHW. Kies-voor-Tandenonderzoek 2017: cariëserving bij 5-jarigen Ned Tijdschr Tandheelkd 2019; 126: 399-407
118. Shern RJ, Duany LF, Senning RS, Zinner DD. Clinical study of an amine fluoride gel and acidulated phosphate fluoride gel. *Community Dentistry and Oral Epidemiology* 1976;4(4):133-6.
119. Slayton RL, Urquhart O, Araujo MWB, Fontana M, Guzmán-Armstrong S, Nascimento MM, Nový BB, Tinanoff N, Weyant RJ, Wolff MS, Young DA, Zero DT, Tampi MP, Pilcher L, Banfield L, Carrasco-Labra A. Evidence-based clinical practice guideline on nonrestorative treatments for carious lesions: A report from the American Dental Association. *J Am Dent Assoc.* 2018 Oct;149(10):837-849.e19.
120. Splieth C, Förster M, Meyer G. Additional caries protection by sealing permanent first molars compared to fluoride varnish applications in children with low caries prevalence: 2-year results. *European Journal of Paediatric Dentistry* 2001; 2(3):133-8.
121. Schwendicke F, Krois J, Splieth CH, Innes N, Robertson M, Schmoedel J, Santamaria RM. Cost-effectiveness of managing cavitated primary molar caries lesions: A randomized trial in Germany. *J Dent.* 2018 Nov;78:40-45.
122. Schwendicke F, Stolpe M. In-Office Application of Fluoride Gel or Varnish: Cost-Effectiveness and Expected Value of Perfect Information Analysis. *Caries Res.* 2017;51(3):231-239.
123. Schwendicke F, Schweigel H, Petrou MA, Santamaria R, Hopfenmüller W, Finke C, Paris S. Selective or stepwise removal of deep caries in deciduous molars: study protocol for a randomized controlled trial. *Trials.* 2015 Jan 6;16:11.
124. Szejda LF. Fluorides in community programs; a study of four years of various fluorides applied topically to the teeth of children in fluoridated communities. *Journal of Public Health Dentistry* 1972;32(1):25-33.
125. Tagliaferro EP, Pardi V, Ambrosano GM, Meneghim Mde C, da Silva SR, Pereira AC. Occlusal caries prevention in high and low risk schoolchildren. A clinical trial. *American Journal of Dentistry* 2011;24(2):109-14
126. Treide A, Treide B. The anticaries effectiveness of newly developed fluoride-containing gels following 3 years of clinical use in preschool children. *Stomatologie der DDR* 1988;38(10):708-12.
127. Trubman A, Crellin JA. Effect on dental caries of self- application of acidulated phosphate fluoride paste and gel. *Journal of the American Dental Association* 1973;86(1): 153-7.
128. Truin GJ, van't Hof MA. Professionally applied fluoride gel in low-caries 10.5-year olds. *Journal of Dental Research* 2005;84(5):418-21.
129. Tsutsumi N. 1981. Studies on topical application of Ag (NH₃)₂F for the control of interproximal caries in human primary molars: 3. Clinical trial of Ag(NH₃)₂F on interproximal caries in human primary molars. *Jpn J Pediatr Dent.* 19(3):537-545.
130. UMCG, 2020. GigaGaaf bezocht op 3 juli 2020 via: <https://www.umcg.nl/NL/UMCG/Afdelingen/CTM/onderzoek/gigagaaf/Paginas/default.aspx>
131. van Palenstein Helderma WH, van't Hof MA, van Loveren C. Prognosis of caries increment with past caries experience variables. *Caries Res.* 2001 May-Jun;35(3):186-92
132. van Rijkom HM, Truin GJ, van't Hof MA. Caries- inhibiting effect of professional fluoride gel application in low-caries children initially aged 4.5-6.5 years. *Caries Research* 2004;38(2):115-23.
133. Verenigde Naties, 2002. Verdrag inzake de rechten van het kind, New York, 20-11-1989. Bezocht op 10 augustus 2020 via <https://wetten.overheid.nl/BWBO002508/2002-11-18>
134. Walsh T, Worthington HV, Glenny AM, Marinho VC, Jeroncic A. Fluoride toothpastes of different concentrations for preventing dental caries. *Cochrane Database Syst Rev.* 2019;3(3):CD007868.
135. Wang S. 1984. Clinical observation of silver diamine fluoride in arresting dental caries. *J Capital Med Univ.* 4:10 (in Chinese).
136. Weinstein P, Harrison R, Benton T. Motivating mothers to prevent caries: confirming the beneficial effect of counseling. *J Am Dent Assoc.* 2006 Jun;137(6):789-93.
137. Weinstein P, Harrison R, Benton T. Motivating parents to prevent caries in their young children: one-year findings. *J Am Dent Assoc.* 2004 Jun;135(6):731-8.
138. Weintraub JA, Ramos-Gomez F, Jue B, Shain S, Hoover CI, Featherstone JD, et al. Fluoride varnish efficacy in preventing early childhood caries. *Journal of Dental Research* 2006;85(2):172-6.
139. Wong MC, Clarkson J, Glenny AM, et al. Cochrane reviews on the benefits/risks of fluoride toothpastes. *J Dent Res.* 2011;90:573-9.
140. Wu L, Gao X, Lo ECM, Ho SMY, McGrath C, Wong MCM. Motivational Interviewing to Promote Oral Health in Adolescents. *J Adolesc Health.* 2017 Sep;61(3):378-384.
141. Yang G, Lin JH, Wang JH, Jiang L. Evaluation of the clinical effect of fluoride varnish in preventing caries of primary teeth. *West China Journal of Stomatology* 2008;26(2):159-61.
142. Yang Q, Wei B, Ye Z. 2002. Clinical effectiveness of using silver diamine fluoride to treat caries on primary anterior teeth. *Heilongjiang Med Pharmacol.* 3(25):66-67 (in Chinese).
143. Ye Z. 1995. The use of 38% silver diamine fluoride in dental caries. *Chin J Conservative Dent.* 1 (in Chinese).
144. Yee R, Holmgren C, Mulder J, Lama D, Walker D, van Palenstein Helderma W. 2009. Efficacy of silver diamine fluoride for arresting caries treatment. *J Dent Res.* 88(7):644-647.

145. Yoshida S, Okada M, Mori S, Baba H. 1976. Evaluation of topical application of diamine silver fluoride to pit and fissure of primary molars. *J Gifu Dent Soc.* 4(1):35-41 (in Japanese).
146. Zhi QH, Lo EC, Lin HC. 2012. Randomized clinical trial on effectiveness of silver diamine fluoride and glass ionomer in arresting dentine caries in preschool children. *J Dent.* 40(11):962-967.
147. Zorginstituut. Signalement Mondzorg, 19 november 2018. Geraadpleegd op 15 augustus 2019 via:
<https://www.zorginstituutnederland.nl/publicaties/rapport/2018/11/19/signalement-mondzorg-2018>